

FLD

806

## CENTRAL INTELLIGENCE AGENCY

## INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

SECRET/CONTROL-U.S.OFFICIALS ONLY

SECURITY INFORMATION

50X1-HUM

COUNTRY	Poland	REPORT	
SUBJECT	Construction of a Laboratory for the Ministry of Public Security in Warsaw	DATE DISTR.	4 November 1953
DATE OF INFO.		NO. OF PAGES	1
PLACE ACQUIRED		REQUIREMENT NO.	RD
		REFERENCES	50X1-HUM

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.  
THE APPRAISAL OF CONTENT IS TENTATIVE.  
(FOR KEY SEE REVERSE)

50X1-HUM

1. The construction of a laboratory or research institute for purposes of the Ministry of Public Security was nearing completion at the end of May 1953 in the Sluzewiec suburb of Warsaw. The building site is located near the racing track which runs between the suburbs of Sluzewiec and Wyzolki.
2. Two buildings, parallel to each other have been constructed, viz:
  - a. A two-floor building approximately 60 by 20 meters, to house the technical equipment of the laboratory. Two wireless masts 10 meters high have been erected at each end of the building. Both masts are connected by an aerial consisting of approximately six wires. All windows of this building are strongly barred. The floors of the basement rooms have been laid with flagstones and have special concrete drainage channels.
  - b. A four-floor building approximately 50 by 20 meters, which appears to be intended for administration purposes. The windows of this building have no bars. Garages are located on the ground floor.
3. In both buildings all rooms were laid with electric cables of approximately 1.5 cm. in diameter. Two to six wires (Kable) protruded from the wall junction box located in the rooms.
4. At the end of April 1953, technical installations (such as electric motors, dynamos, lathes, wood working machinery, various wireless apparatus, and other machinery) were observed being brought to the two-floor building. A number of high-ranking security officials, including General Huebner, were present at the time.
5. On 1 June 1953, some security officials were observed in the grounds near the building carrying out training exercises with walkie-talkie sets.
6. A three-meter high barbed wire fence surrounds the area in which both buildings are located; it is guarded by sentry posts.

50X1-HUM

SECRET/CONTROL-U.S.OFFICIALS ONLY

STATE	X	ARMY	X	NAVY	X	AIR	X	FBI		AEC					
-------	---	------	---	------	---	-----	---	-----	--	-----	--	--	--	--	--

(Note: Washington Distribution Indicated By "X"; Field Distribution By "#".)